



Outperforming ALL Federal
Standards for Safe Drinking Water

2024 WATER QUALITY REPORT


- Where your water comes from
- How your water is made safe to drink
- Results of EPA-required sampling and testing
- Understanding water quality regulations
- Where to find more information

PREPARED FOR CUSTOMERS OF THE
 Albuquerque Bernalillo County
Water Utility Authority

YOUR DRINKING WATER

HOW IT'S MADE SAFE TO DRINK

Groundwater requires little treatment other than disinfection via chlorination, and in some cases undergoes additional filtering for arsenic removal. Surface water, however, requires extensive purification before distribution, using a series of mechanical and chemical processes, as shown below. Treatment, including chemical stabilization for corrosion prevention, occurs at the San Juan-Chama Drinking Water Project surface-water treatment plant. **Treatment processes destroy bacteria and viruses.**



WHERE IT COMES FROM

Water Authority customers rely on locally pumped groundwater plus surface water imported from the Colorado River basin via the San Juan-Chama Project. The utility works with the New Mexico Environment Department (NMED) and other agencies to conduct periodic source water assessments to determine the susceptibility of local drinking water to contamination. The latest assessment, called the Rivers and Aquifers Protection Plan (RAPP) is available online at www.abcwua.org/your-drinking-water/

HOW IT'S MONITORED & TESTED



Making sure that treatment processes are working correctly requires careful monitoring by a full-time staff of trained water quality engineers, scientists, and technicians. Each year the Water Authority collects and tests more than 5,500 water samples from wells, storage tanks, customer taps, and the surface-water treatment plant. Some of the testing is required by the Environmental Protection Agency (EPA) and some of it is voluntary, but it's all done to ensure that Albuquerque and Bernalillo County have a municipal water supply that's second to none in terms of quality.

SEE THE 2024 TEST RESULTS

LEGEND

- Surface Water
- Groundwater
- Diversion Facility
- Tunnel/Channel

2024 COMPLIANCE MONITORING RESULTS (Albuquerque Water System, NM35-10701; see page 3 for definitions)



SUBSTANCE OR CONDITION	Source	Sample Year(s)	Detection Limit <small>Lowest amount that can be detected with available technology</small>	Minimum Detected	Average Detected System-wide	Average Detected at San Juan-Chama Drinking Water Plant	Maximum Detected	Maximum Contaminant Level (MCL)	Maximum Contaminant Level Goal (MCLG)	
As Arsenic <small>See Common Concerns on page 4</small>	Erosion of natural volcanic deposits	2024	1 PPB	Zero PPB	2.5 PPB	Zero PPB	5.0 PPB	10 PPB	Zero PPB	✓
Ba Barium	Erosion of natural deposits	2024	0.01 PPM	0.035 PPM	0.047 PPM	0.059 PPM	0.059 PPM	2 PPM	2 PPM	✓
F⁻ Fluoride ²	Erosion of natural deposits	2024	0.10 PPM	0.68 PPM	0.93 PPM	0.68 PPM	1.17 PPM	4 PPM	4 PPM	✓
Gross Alpha Particle Activity	Erosion of natural deposits	2023	0.7 - 1.0 pCi/L	Zero pCi/L	0.7 pCi/L	0.7 pCi/L	1.6 pCi/L	15 pCi/L	Zero pCi/L	✓
NO₃⁻ Nitrate	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	2024	0.05 PPM	Zero PPM	0.38 PPM	0.13 PPM	3.07 PPM	10 PPM	10 PPM	✓
Ra Radium 226 + 228	Erosion of natural deposits	2023	0.01 - 0.21 pCi/L	0.02 pCi/L	0.13 pCi/L	0.04 pCi/L	0.50 pCi/L	5 pCi/L	Zero pCi/L	✓
U Uranium	Erosion of natural deposits	2023	1 PPB	Zero PPB	2.0 PPB	Zero PPB	6 PPB	30 PPB	Zero PPB	✓
BrO₃⁻ Bromate	By-product of drinking water disinfection	2024	1 - 5 PPB	Zero PPB	Not Applicable	0.9 PPB	2.3 PPB	10 PPB	Zero PPB	✓
Cl Chlorine	Disinfectant	2024	0.1 PPM (distribution system)	0.3 PPM	0.9 PPM	Not Applicable	1.7 PPM	4 PPM (MRDL)	4 PPM (MRDLG)	✓
			0.03 PPM (surface water)	0.6 PPM	Not Applicable	1.3 PPM	1.4 PPM	4 PPM (MRDL)	4 PPM (MRDLG)	
			0.03 PPM (groundwater)	TT met at 100% of sites (TT= Maintain required chlorine level or restore within 4 hours)				TT	TT	
Cryptosporidium <small>(untreated water)</small>	Human and animal fecal waste	2015-2017	1 Oocyst/L	Zero Oocysts/L	Not Applicable	0.004 Oocysts/L	0.093 Oocysts/L	TT	Zero Oocysts/L	✓
Turbidity <small>(cloudiness; indicates effectiveness of filtration and disinfection)</small>	Soil runoff	2024	0.002 NTU	0.03 NTU	Not Applicable	Not Applicable	0.13 NTU	1 NTU in all finished water samples, 95% of the finished water samples must be less than 0.3 NTU	Zero NTU	✓
C Total Organic Carbon	Naturally present in the environment	2024	1 PPM	Zero PPM	Not Applicable	1.1 PPM	1.8 PPM	TT	Not Applicable	✓
Total Coliform	Coliforms are bacteria that are normally present in the environment	2024	Not Applicable	Not Applicable	Not Applicable	Not Applicable	0 of 245 samples or 0% of samples taken in a month had detectable total coliform bacteria. No total coliform bacteria was detected in any repeat sample at any location.	Presence of coliform bacteria in 5.0% or more of samples in any month	0% of samples with detectable coliform bacteria	✓

SUBSTANCE	Source	Sample Year	Detection Limit	Range of Results ³	Maximum LRAA	Maximum Contaminant Level (MCL) <small>Disinfection by-products are regulated based on the LRAA</small>	Maximum Contaminant Level Goal (MCLG)	
HAA5 Total Haloacetic Acids (HAA5)	By-product of chlorination	2024	0.48 - 0.50 PPB	0 - 19 PPB	16.6 PPB	60 PPB	Not Applicable	✓
THM Total Trihalomethanes (THM)	By-product of chlorination	2024	0.50 PPB	2.2 - 41 PPB	38.8 PPB	80 PPB	Not Applicable	✓

SUBSTANCE	Source	Sample Year	Detection Limit	90th Percentile	Number of Samples that Exceed Action Level	Maximum Detected	Action Level <small>(Compared to the concentration detected in the 90th percentile sample.)</small>	Maximum Contaminant Level Goal (MCLG)	
Pb Lead <small>See Common Concerns on page 4</small>	Corrosion of household plumbing	2024	1 PPB	Zero PPB	Zero	3 PPB	15 PPB	Zero PPB	✓
Cu Copper	Corrosion of household plumbing	2024	0.01 PPM	0.28 PPM	Zero	0.42 PPM	1.3 PPM	1.3 PPM	✓

1 Meets USEPA and NMED standards for safe drinking water

2 The Water Authority continues working to meet a target fluoride range of 0.65 to 0.72 mg/L. More information at www.abcwua.org/your-drinking-water-fluoride-information/

3 The range represents the minimum and maximum of all quarterly analytical results at all 12 monitoring locations

STANDARDS OF QUALITY

YOUR DRINKING WATER

To protect public health and safety, the EPA limits the amount of certain substances, known as contaminants, in drinking water.

The table on the preceding page shows the latest test results for detected regulated substances in drinking water distributed by the Water Authority to its customers in Albuquerque and Bernalillo County.



YOUR WATER AUTHORITY

The Water Authority, nationally recognized for its highly successful conservation programs, is focused on ensuring a safe and resilient drinking water supply for Albuquerque and Bernalillo County. You can learn more about the utility's long-term planning efforts under "YOUR WATER" at www.abcwua.org

RECENT AWARDS

Sustainable Water Utility Management Award (2024) Association of Metropolitan Water Agencies
AQUARIUS Award for Public Health (2024) U.S. Environmental Protection Agency
Outstanding Water Treatment Plant Award (2024) American Water Works Association
Six-Year Directors Award for Optimization (2024) American Water Works Association
Three-Year President's Award for Superior Finished Water Quality (2024) American Water Works Association
Five-Year Directors Award for wastewater utility operational excellence (2024) American Water Works Association



DRINKING WATER CONTAMINANTS: WHAT EPA SAYS

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency (EPA) Safe Drinking Water Hotline (800-426-4791).

Contaminants come in many forms, both natural and manmade, and can enter the sources of our drinking water in a number of ways, including dissolution of naturally occurring minerals. Contaminants in drinking water sources may include **microbial contaminants** (e.g., viruses and bacteria); **inorganic contaminants**, such as salts and metals; **pesticides and herbicides**; **organic chemical contaminants** from industrial processes, gas stations, septic systems, etc.; and **radioactive contaminants**, both naturally occurring and as a result of human activity.

In order to ensure drinking water safety, EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration (FDA) establishes limits for contaminants in bottled water that provide the same protections for public health.



LEAD SURVEY UNDERWAY

To identify any remaining lead components in the local water system, the Water Authority is conducting an inventory of all water service lines. An interactive map showing the current inventory status, and providing an opportunity for customer feedback, can be found on the Water Authority's Lead-Safe Community website: <https://lead-service-line-inventory-2-abcwua.hub.arcgis.com/>

For more information about lead testing, see Common Concerns on page 4.

DEFINITIONS

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. The San Juan-Chama Drinking Water Plant was designed to provide a multi-barrier approach (pre-sedimentation, clarification, and filtration) to removing *Cryptosporidium* in order to meet the EPA requirements.

Locational Running Annual Average (LRAA): The average of analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water.

MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Nephelometric Turbidity Unit (NTU): A measure of cloudiness or haziness caused by suspended solids.

Parts Per Billion (PPB): Parts per billion or micrograms per liter (ug/L). 1 PPB = 0.001 PPM. Example: one drop of water in an Olympic-size swimming pool.

Parts Per Million (PPM): Parts per million or milligrams per liter (mg/L). 1 PPM = 1,000 PPB. Example: four drops of water in a 55-gallon barrel.

Parts Per Trillion (PPT): Parts per trillion or nanogram per Liter (ng/L). 1 PPB = 1,000 PPT. Example: one grain of sugar in 10 million gallons of water.

picoCuries per liter (pCi/L): A measure of radioactivity.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

UNREGULATED CONTAMINANTS

Some substances found in drinking water are not regulated by the EPA, but testing for them in some cases is required for research purposes under the Unregulated Contaminant Monitoring Rule (UCMR).

2024 UNREGULATED CONTAMINANT MONITORING RESULTS

SUBSTANCE	Sample Year	Minimum Reporting Level	Range of Results	Average Detected Results
Lithium	2024	10 PPB	12 PPT-71 PPB	34 PPB
Chloroeicosfluorooxaundecanesulfonic Acid	2024	1.70 PPT	Zero PPT	Zero PPT
Chlorohexadecafluorooxanonanesulfonic Acid	2024	1.70 PPT	Zero PPT	Zero PPT
Dioxaperfluorononanoic Acid (ADONA)	2024	1.70 PPT	Zero PPT	Zero PPT
Ethyl Perfluorooctanesulfonamidoacetic Acid	2024	1.80 PPT	Zero PPT	Zero PPT
Hexafluoropropylene Oxide Acid (GenX)	2024	1.80 PPT	Zero PPT	Zero PPT
Methyl Perfluorooctanesulfonamidoacetic Acid	2024	1.80 PPT	Zero PPT	Zero PPT
Nonafluoro-3,6-dioxahheptanoic Acid (NFDHA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluoro(2-ethoxyethane)sulfonic Acid	2024	1.60 PPT	Zero PPT	Zero PPT
Perfluoro-3-methoxypropanoic Acid (PFMPA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluoro-4-methoxybutanoic Acid (PFMBA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorobutanesulfonic Acid (PFBS)	2024	1.60 PPT	Zero PPT	Zero PPT
Perfluorobutanoic Acid (PFBA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorodecane Sulfonic Acid (8:2 FTS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluorodecanoic Acid (PFDA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorododecanoic Acid (PFDoA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluoroheptanesulfonic Acid (PFHpS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluoroheptanoic Acid (PFHpA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorohexane Sulfonic Acid (4:2 FTS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluorohexanesulfonic Acid (PFHxS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluorohexanoic Acid (PFHxA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorononanoic Acid (PFNA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorooctane Sulfonic Acid (6:2 FTS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluorooctanesulfonic Acid (PFOS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluorooctanoic Acid (PFOA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluoropentanesulfonic Acid (PFPeS)	2024	1.70 PPT	Zero PPT	Zero PPT
Perfluoropentanoic Acid (PFPeA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorotetradecanoic Acid (PFTA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluorotridecanoic Acid (PFTTrDA)	2024	1.80 PPT	Zero PPT	Zero PPT
Perfluoroundecanoic Acid (PFUnA)	2024	1.80 PPT	Zero PPT	Zero PPT

COMMON CONCERNS

1

Should I be concerned about lead?

The Water Authority removes all known lead components from its water distribution system. However, the utility offers free lead and copper testing for customers concerned about their home plumbing fixtures. To schedule a test, visit www.abcwua.org/your-drinking-water-lead-sample-collection-request/. For more information about the Water Authority’s current lead survey, see page 3.

RESULTS OF 2024 CUSTOMER-REQUESTED LEAD TESTING (117 SAMPLES)

SUBSTANCE	Minimum	Maximum Detected	90th Percentile	Action Level
Pb Lead	Zero PPB	9.2 PPB	1.3 PPB	15 PPB

Here’s what the EPA has to say about lead: *If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local Water Authority is responsible for providing high quality drinking water, but cannot control the variety of materials used in home plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the federal Safe Drinking Water Hotline (800-426-4791) or at www.epa.gov/safewater/lead.*

2

Is there arsenic in my drinking water?

All of Albuquerque’s drinking water meets EPA standards for arsenic. Allowable levels of arsenic are present in some locations, mainly due to erosion of natural deposits. EPA continues to research the health effects of low levels of arsenic, which is a metal known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

3

What if I am immuno-compromised?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

4

What about sodium?

For more information about Sodium levels in the Water Authority’s service area, visit www.abcwua.org and click on the Your Water tab.

2024 SODIUM LEVELS

SUBSTANCE	Range	Average
Na Sodium Compliance monitoring Special Distribution monitoring	28-97 PPM 16-76 PPM	63 PPM 32 PPM

5

Information about PFAS

Local drinking water remains protected from manmade chemicals known as Per- and Polyfluoroalkyl Substances (PFAS). The Water Authority’s system began testing for PFAS as part of the most current EPA Unregulated Contaminant Monitoring Rule in June 2024.

WANT TO KNOW MORE?

CONTACT THE WATER AUTHORITY

Call **842-WATR (9287)** to

- Report a water or sewer emergency
- Pay a bill over the phone
- Make billing inquiries
- Report water waste
- Report unusual activity at water facilities

Questions about your water quality may also be emailed to waterquality@abcwua.org.

En Español: Este reporte contiene informacion muy importante acerca de la calidad del agua. Para recibir una copia en español, llamen al **505-842-9287** o visita la pagina: www.abcwua.org/your-drinking-water-download-report-english-spanish/

OTHER SOURCES OF INFORMATION

Water Authority
website
www.abcwua.org

U.S. Environmental
Protection Agency
www.epa.gov/safewater

New Mexico Environment Department
Drinking Water Bureau
www.env.nm.gov/drinking_water/



Check us out on Facebook and Nextdoor!

INFORMATION ON WATER SUPPLY PLANNING

The Water Authority's plan for ensuring long-term reliability of the local drinking water supply centers around conservation, aquifer storage and recovery (ASR), water re-use, and optimal use of surface water via the San Juan-Chama Drinking Water Project. The 100-year plan, dubbed *WATER 2120*, is summarized in the Resource Management section of the Water Authority's website at <https://www.abcwua.org/your-drinking-water/>

GET INVOLVED!

Want to do more to help protect local drinking water supplies? You can start by staying informed! Links to up-to-date information about watershed and source-water protection can be found at www.NMSourceWaterProtection.com.

Other opportunities for involvement include attendance at one of our monthly board meetings, where issues concerning water quality are discussed. Meetings are open to the public and held virtually or in council chambers in the basement of the City/County Government Center at One Civic Plaza. Meeting schedules and agendas are available at www.abcwua.org. You'll also find meeting schedules for the community's Water Protection Advisory Board.